





Ravenna – V

SPECIFICATIONS

Ravenna 25
Tube diameter 25mm




Ravenna 13
Tube diameter 13mm




If the protruding elements are taller/longer than 1400mm, two reinforcement strips will be installed on the backside of the radiator.

RAV CONNECTION POSITIONS

The RAV type radiator is equipped with 4 standard connections of 1/2". These 4 connections can be used as follows:




Additionally, for the RAV type, there are several special connections available that come with an additional cost.



IMPORTANT!
The desired connection position must be specified when placing an order!



FIXING





OPERATING PRESSURE

Maximum operating pressure: 10 bar.



Height 1400mm						Height 1600mm					
											
M		RAV25		RAV25-2				RAV25		RAV25-2	
H x D		1400 x 60 mm		1400 x 80 mm				1600 x 60 mm		1600 x 80 mm	
C		0,61 L/el.		1,17 L/el.				0,69 L/el.		1,33 L/el.	
W		1,09 kg/el.		2,2 kg/el.				1,23 kg/el.		2,5 kg/el.	
R		25%		25%				25%		25%	
Ex n		1,27		1,31				1,27		1,31	
M = Model		H x D = Height x Depth		C = Capacity		W = Weight		R = Radiation share		Ex n = Exponent n	
Number elements	Length in mm	Output 55/45/20	Output 75/65/20	Output 55/45/20	Output 75/65/20	Output 55/45/20	Output 75/65/20	Output 55/45/20	Output 75/65/20	Output 55/45/20	Output 75/65/20
6	224	212	404	309	597	226	431	346	668		
7	260	248	472	361	697	264	503	404	779		
8	296	283	539	412	796	302	575	461	890		
9	332	318	607	464	896	340	647	519	1002		
10	368	354	674	515	995	377	719	577	1113		
11	404	389	741	567	1095	415	791	634	1224		
12	440	425	809	618	1194	453	863	692	1336		
13	476	460	876	670	1294	491	935	749	1447		
14	512	495	944	722	1393	528	1007	807	1558		
15	548	531	1011	773	1493	566	1079	865	1670		
16	584	566	1078	825	1592	604	1150	922	1781		
17	620	602	1146	876	1692	642	1222	980	1892		
18	656	637	1213	928	1791	679	1294	1038	2003		
19	692	672	1281	979	1891	717	1366	1095	2115		
20	728	708	1348	1031	1990	755	1438	1153	2226		
22	800	778	1483	1134	2189	830	1582	1268	2449		
24	872	849	1618	1237	2388	906	1726	1384	2671		
26	944	920	1752	1340	2587	981	1869	1499	2894		

Height 1800mm						Height 2000mm					
											
M		RAV25		RAV25-2				RAV25		RAV25-2	
H x D		1800 x 60 mm		1800 x 80 mm				2000 x 60 mm		2000 x 80 mm	
C		0,77 L/el.		1,49 L/el.				0,85 L/el.		1,65 L/el.	
W		1,38 kg/el.		2,8 kg/el.				1,53 kg/el.		3,1 kg/el.	
R		25%		25%				25%		25%	
Ex n		1,27		1,31				1,27		1,31	
M = Model		H x D = Height x Depth		C = Capacity		W = Weight		R = Radiation share		Ex n = Exponent n	
Number elements	Length in mm	Output 55/45/20	Output 75/65/20	Output 55/45/20	Output 75/65/20	Output 55/45/20	Output 75/65/20	Output 55/45/20	Output 75/65/20	Output 55/45/20	Output 75/65/20
6	224	252	481	391	755	278	530	417	806		
7	260	294	561	456	881	325	618	487	940		
8	296	336	641	521	1006	371	706	557	1074		
9	332	378	721	586	1132	417	795	626	1209		
10	368	421	801	652	1258	464	883	696	1343		
11	404	463	881	717	1384	510	971	765	1477		
12	440	505	961	782	1510	556	1060	835	1612		
13	476	547	1041	847	1635	603	1148	904	1746		
14	512	589	1121	912	1761	649	1236	974	1880		
15	548	631	1202	977	1887	695	1325	1044	2015		
16	584	673	1282	1043	2013	742	1413	1113	2149		
17	620	715	1362	1108	2139	788	1501	1183	2283		
18	656	757	1442	1173	2264	834	1589	1252	2417		
19	692	799	1522	1238	2390	881	1678	1322	2552		
20	728	841	1602	1303	2516	927	1766	1391	2686		
22	800	925	1762	1434	2768	1020	1943	1530	2955		
24	872	1009	1922			1113	2119				
26	944	1093	2083			1205	2296				




Accessoires:
Refer to pages 288 - 295:
ACCKNOP01
ACCREK01

Brackets:
The Ravenna comes standardly
with wall brackets in the color
of the radiator.

Colors:
The white price applies to RAL 9016. The color
price applies to the colors from the color palette
and color chart, section: 

Connections:
**PLEASE NOTE! Always specify
when placing an order.**
See description on page 126.





Ravenna – V




Height 1400mm



M		RAV13		RAV13-2	
H x D		1400 x 46 mm		1400 x 52 mm	
C		0,16 L/el.		0,28 L/el.	
W		1,06 kg/el.		1,12 kg/el.	
R		25%		25%	
Ex n		1,26		1,30	


M = Model		H x D = Height x Depth		C = Capacity		W = Weight		R = Radiation share		Ex n = Exponent n	
Number elements	Length in mm	Output 55/45/20	Output 75/65/20	Output 55/45/20	Output 75/65/20	Output 55/45/20	Output 75/65/20	Output 55/45/20	Output 75/65/20	Output 55/45/20	Output 75/65/20
6	152	132	252	194	376	149	283	219	425		
8	200	176	336	259	502	198	378	292	566		
10	248	221	420	324	627	248	472	365	708		
12	296	265	504	388	752	297	566	438	850		
14	344	309	588	453	878	347	661	511	991		
16	392	353	672	518	1003	396	755	585	1133		
18	440	397	756	582	1129	446	850	658	1274		
20	488	441	840	647	1254	496	944	731	1416		
22	536	485	924	712	1379	545	1038	804	1558		
24	584	529	1008	776	1505	595	1133	877	1699		
26	632	573	1092	841	1630	644	1227	950	1841		
28	680	617	1176	906	1756	694	1322	1023	1982		
30	728	662	1260	971	1881	743	1416	1096	2124		
32	776	706	1344	1035	2006	793	1510	1169	2266		
34	824	750	1428	1100	2132	843	1605	1242	2407		
36	872	794	1512	1165	2257	892	1699	1315	2549		
38	920	838	1596	1229	2383	942	1794	1388	2690		
40	968	882	1680	1294	2508	991	1888	1461	2832		

Height 1600mm



M		RAV13			RAV13-2		
H x D		1800 x 46 mm			1800 x 52 mm		
C		0,19 L/el.			0,35 L/el.		
W		1,08 kg/el.			1,16 kg/el.		
R		25%			25%		
Ex n		1,26			1,30		
M = Model		H x D = Height x Depth			C = Capacity		W = Weight
Number elements	Length in mm	Output 55/45/20	Output 75/65/20	€ White € Color	Output 55/45/20	Output 75/65/20	€ White € Color
6	152	165	315	405,21 486,26	244	472	768,38 922,08
8	200	221	420	463,60 556,30	325	630	880,50 1.056,58
10	248	276	525	495,12 594,15	406	787	941,23 1.129,48
12	296	331	630	464,76 557,71	487	944	882,82 1.059,40
14	344	386	735	485,78 582,95	569	1102	922,53 1.107,04
16	392	441	840	532,50 639,00	650	1259	1.011,29 1.213,52
18	440	496	945	567,52 681,04	731	1417	1.079,01 1.294,80
20	488	551	1050	604,90 725,87	812	1574	1.149,06 1.378,88
22	536	606	1155	662,11 794,55	893	1731	1.257,66 1.509,20
24	584	662	1260	710,01 851,98	975	1889	1.348,78 1.618,52
26	632	717	1365	755,55 906,64	1056	2046	1.435,17 1.722,19
28	680	772	1470	795,26 954,29	1137	2204	1.512,26 1.814,69
30	728	827	1575	834,93 1.001,92	1218	2361	1.586,98 1.904,39
32	776	882	1680	877,00 1.052,38	1299	2518	1.665,24 1.998,28
34	824	937	1785	961,06 1.153,27	1381	2676	1.826,37 2.191,66
36	872	992	1890	959,90 1.151,89	1462	2833	1.824,02 2.188,85
38	920	1047	1995	1.001,92 1.202,32	1543	2991	1.903,45 2.284,14
40	968	1103	2100	1.059,16 1.271,00	1624	3148	2.013,21 2.415,84

Height 1800mm



Height 2000mm



Accessoires:
Refer to pages 288 - 295:
ACCKNOP01
ACCREK01

Brackets:
The Ravenna comes standardly with wall brackets in the color of the radiator.

Colors:
The white price applies to RAL 9016. The color price applies to the colors from the color palette and color chart, section:

Connections:
PLEASE NOTE! Always specify when placing an order.
See description on page 126.

