

INSTAMAT

Valve Sets

radiators





Instamat offers a range of complete valve sets for design radiators. These sets cater to various interior styles, ranging from standard to luxury options. There are different models available, including manual or thermostatic controls, as well as angled or straight configurations. Each set includes a radiator valve and a return valve. The standard valve set includes 15mm compression fittings for copper pipes, compression fittings for 16x2mm multilayer pipes, and 1/2" tail pieces. Additionally, custom sets with compression fittings for other sizes of multilayer pipes can be ordered. The assortment also features two different sets with cover plates and pipes for a seamless finish from the connection set to the wall or floor.

Manual Valve Sets

TYPE	DESCRIPTION	
CY.HA		Angled valve set CYLINDER in chrome finish, consisting of: <ul style="list-style-type: none">- 1 manual radiator valve- 1 outlet valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer tubing
CY.RE		Straight valve set CYLINDER in chrome finish, consisting of: <ul style="list-style-type: none">- 1 manual radiator valve- 1 outlet valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer pipes.
CM.HA		Angled valve set CYLINDER with brushed stainless steel look, consisting of: <ul style="list-style-type: none">- 1 manual radiator valve- 1 outlet valve- 2 x 2 sets compression fittings for 15mm copper and 16x2mm multilayer.
CM.RE		Straight valve set CYLINDER with brushed stainless steel look, consisting of: <ul style="list-style-type: none">- 1 manual radiator valve- 1 outlet valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer
CB.HA		Angled valve set CYLINDER , color Soft Black, consisting of: <ul style="list-style-type: none">- 1 manual radiator valve- 1 outlet valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer pipes.
CB.RE		Straight valve set CYLINDER , color Soft Black, consisting of: <ul style="list-style-type: none">- 1 manual radiator valve- 1 outlet valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer pipes.







Manual Valve Sets

TYPE	DESCRIPTION	
CW.HA		Angled valve set CYLINDER , Color Soft White, consisting of: <ul style="list-style-type: none">- 1 manual radiator valve- 1 outlet valve- 2 x 2 sets compression fittings for 15mm copper and 16x2mm multilayer pipes.
CW.RE		Straight valve set CYLINDER , Color Soft White, consisting of: <ul style="list-style-type: none">- 1 manual radiator valve- 1 outlet valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer pipes.
MN.HA		Angled valve set MINIMALIST in chrome finish, consisting of: <ul style="list-style-type: none">- 1 manual radiator valve- 1 outlet valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer pipes.
MN.RE		Straight valve set MINIMALIST in chrome finish, consisting of: <ul style="list-style-type: none">- 1 manual radiator valve- 1 outlet valve- 2 x 2 sets compression fittings for 15mm copper and 16x2mm multilayer.
SM.HA		Angled valve set SMART in chrome finish, consisting of: <ul style="list-style-type: none">- 1 manual radiator valve- 1 outlet valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer pipes.
SM.RE		Straight valve set SMART in chrome finish, consisting of: <ul style="list-style-type: none">- 1 manual radiator valve- 1 outlet valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer pipes.

TYPE	DESCRIPTION	
TL.HA		Angled valve block TWIN VALVE LIGHT in chrome finish with a 50mm connection size. The inlet is located on the right side, without a bypass, and equipped with compression fittings for 15mm copper and 16x2 multilayer pipes.
TL.RE		Straight manually operated TWIN VALVE LIGHT connection block in chrome finish with a 50mm connection size. The inlet is located on the right side, without a bypass, and equipped with compression fittings for 15mm copper and 16x2 multilayer pipes.


Thermostatic Valve Sets

TYPE	DESCRIPTION	
AS.HA		Standard angled valve set (brass/nickel-plated) consisting of: <ul style="list-style-type: none">- 1 radiator valve with white thermostatic head- 1 outlet valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer pipes.
AS.RE		Standard straight valve set (brass/nickel-plated) consisting of: <ul style="list-style-type: none">- 1 radiator valve with white thermostatic head- 1 outlet valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer pipes.
AS.HV		Standard angled reverse valve set (brass/nickel-plated) consisting of: <ul style="list-style-type: none">- 1 radiator valve with white thermostat head- 1 outlet valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer pipes.
3DT.LI		Angled valve set 3D in chromed version, SUPPLY LEFT , consisting of: <ul style="list-style-type: none">- 1 radiator valve with chrome-plated thermostatic head- 1 return valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer
3DT.RE		Angled valve set 3D in chromed version, SUPPLY RIGHT , consisting of: <ul style="list-style-type: none">- 1 radiator valve with chrome-plated thermostatic head- 1 return valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer
TH.HA		Chrome-plated angle valve set consisting of: <ul style="list-style-type: none">- 1 radiator valve with chrome-plated thermostatic head- 1 return valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer




TYPE	DESCRIPTION	
TH.RE		Straight valve set in chromed version consisting of: <ul style="list-style-type: none">- 1 radiator valve with chrome-plated thermostatic head- 1 outlet valve- 2 x 2 sets of compression fittings for 15mm copper and 16x2mm multilayer
TW.HA		Angled valve block TWIN VALVE in chromed version with 50mm connection size, inlet is on the right side, including thermostatic head and compression fittings for 15mm copper and 16x2mm multilayer. WITH BYPASS.
TW.RE		Straight valve block TWIN VALVE in chromed version with 50mm connection size, inlet is on the right side, including thermostatic head and compression fittings for 15mm copper and 16x2mm multilayer. WITH BYPASS.
TW.HA01		Angled valve block TWIN VALVE in chromed version with 50mm connection size, inlet is on the right side, including thermostatic head and compression fittings for 15mm copper and 16x2mm multilayer. WITHOUT BYPASS.
TW.HA02		Angled valve block TWIN VALVE in chromed version with 50mm connection size, inlet is on the left side, including thermostatic head and compression fittings for 15mm copper and 16x2mm multilayer. WITHOUT BYPASS.
TW.RE01		Straight valve block TWIN VALVE in chromed version with 50mm connection size, inlet is on the right side, including thermostatic head and compression fittings for 15mm copper and 16x2mm multilayer. WITHOUT BYPASS.

Thermostatic Valve Sets

TYPE	DESCRIPTION	
TW.HA/RVS		Angled valve block TWIN VALVE with brushed stainless steel look with 50mm connection size, inlet is on the right side, including thermostatic head and compression fittings for 15mm copper and 16x2mm multilayer. WITH BYPASS.
TW.RE/RVS		Straight valve block TWIN VALVE with brushed stainless steel look with 50mm connection size, inlet is on the right side, including thermostatic head and compression fittings for 15mm copper and 16x2mm multilayer. WITH BYPASS.
TB.HA01		Angled valve block TWIN VALVE in color Soft Black with 50mm connection size, inlet is on the right side, including thermostatic head and compression fittings for 15mm copper and 16x2mm multilayer. WITHOUT BYPASS.
TB.RE01		Straight valve block TWIN VALVE in color Soft Black with 50mm connection size, inlet is on the right side, including thermostatic head and compression fittings for 15mm copper and 16x2mm multilayer. WITHOUT BYPASS.
TWW.HA01		Angled valve block TWIN VALVE in color Soft White with 50mm connection size, inlet is on the right side, including thermostatic head and compression fittings for 15mm copper and 16x2mm multilayer. WITHOUT BYPASS.
TWW.RE01		Straight valve block TWIN VALVE in color Soft White with 50mm connection size, inlet is on the right side, including thermostatic head and compression fittings for 15mm copper and 16x2mm multilayer. WITHOUT BYPASS.

TYPE	DESCRIPTION	
SW.01		Terminal block SWITCH , by adjustable connections both can be used at right angles as straight, in chromed version, with 50mm connection size, including thermostatic head and compression fittings for 15mm copper and 16x2mm multilayer. WITHOUT BYPASS.

Other

TYPE	DESCRIPTION	
ROZET		Set of loose chromed rosettes and over tubes (160 mm), up to and including a tube diameter of 16mm 01 = chrome 02 = brushed-look 03 = Soft Black 04 = Soft White
ROZET50		Set of chrome overtubes (160mm) and a rosette for 50mm connection, up to and including a tube diameter of 16mm 01 = chrome 02 = brushed-look 03 = Soft Black 04 = Soft White
KOP14 KOP16 KOP20	Set (2 pcs.) hydronic compression fittings for multilayer tube 14x2mm, 16x2mm or 20x2mm	
COMBITOOL		Practical key to screw a tail piece into the radiator. The 1/2" thread can be cleaned with the other side. This makes the installation of the radiator easier